
COMFORT®
Life is just beginning.

MANUAL WHEELCHAIR

We care not only for the physical needs but for the deep emotional needs of our customers.

Feel free to go anywhere, but also to free your imagination






https://www.comfort-mobility.com/

COMFORT®
Life is just beginning.

History：

Comfort Orthopedic Co., Ltd established in 1978, started as a wheelchair manufacturer. Over the past years Comfort worked with many famous companies in Europe and North America as an OEM/ODM business partner, providing products of outstanding quality. With driving force to provide better products innovatively, Comfort developed a number of different product lines, including light weight aluminum wheelchairs, power chairs, electric scooters and, the most important one, the standing chair. In 2003, Comfort began to promote its own brand name “ Comfort ” to the main market. Owing to the products’ superior quality and design, Comfort quickly occupied significant market share. The OBM business grew rapidly compared with the OEM/ODM business in the past 10 years. With a long term vision, Comfort has created a business plan that includes many far reaching goals for the company, for the next 10 years. Our Brand Concept reflects Comfort's core values in operating our business.



Brand Mission：

To create an Independent life for the elderly & Disabled people.

Brand Values & Philosophy：

Care: We care not only for the physical needs but for the deep emotional needs of our customers.

Comfortable: We want every user to feel safe and comfortable.

Mobility: We want to help you go anywhere you want.

Freedom: Feel free to go anywhere, but also to free your imagination.

Future: We will lead you to a brighter future.

Reborn: We want you to create a brand new life.

Taste: We create products to suit your needs, tastes, and style.

Trust: You can count on Comfort to always be there.

Brand Vision：

No longer boundaries for the elderly & Disabled people.







Lightweight Wheelchair

- L1-622 1
- L3 2
- L2 3

Bariatric Wheelchair

- K9 Recliner 4

Transport Wheelchair

- L1-612 6

Pediatric Wheelchair

- Growin 7

Reclining Wheelchair

- K9 Recliner 10

Tilt-in-space Reclining Folding Wheelchair

- L7 12

Shower/ Commode Wheelchair

- SL-155 14
- Whale LY-158A 16

Lightweight Wheelchair

Aluminum

L1-622



- Lightweight
- Breathable mesh fabric for excellent comfort.
- Low frame shape design, more convenient for dining & working
- Foldable Footrest, more convenience for transferring
- Fold down backrest
- Stow up footrest
- Dual function hand brake
- Fixed PU armrest
- 6" x 1 1/4" PU front tire
- 22" x 1 3/8" PU rear tire
- Max. capacity : 140 kg



Low frame shape design



Footrest stowed inwards



Locking hand brakes for safety



Rear wheel brake

(±10mm)

SIZE													
J	400	585	350	910	400	490	220	780	1040	420	720	420	12.4
F	430	615	350	910	400	490	220	780	1040	420	720	420	12.7
A	460	645	350	910	400	490	220	780	1040	420	720	420	13.0

Lightweight Wheelchair

Aluminum

L3



- Seat height adjustable
- Flip back armrest
- Detachable swing away footrest
- 8" PU front tire
- 24" x 1 3/8" PU rear tire w/QR release
- Max. capacity 140 kg

Optional Accessories :



Flip back height adjustable PU armrest



Fold down backrest



Anti-tipper

SIZE											(±10mm) (kg)
J	400	595	355	855/875/895	400	440/460/480	250	805	1055	400/420	13.4
F	430	625	355	855/875/895	400	440/460/480	250	805	1055	400/420	13.5
A	460	655	355	855/875/895	400	440/460/480	250	805	1055	400/420	13.6
L	510	705	355	855/875/895	400	440/460/480	250	805	1055	400/420	13.8

Lightweight Wheelchair

Aluminum

L2



- Many seating dimension choices for fitting to individual's figure
- Seat depth 16" ~ 20"
- Adjustable seat height
- Flip back armrest
- Detachable swing away footrest
- 8" x 1 1/4" PU front tire
- 24" x 1 3/8" PU rear tire w/QR release
- Max. capacity 140 kg (size 16"~20"); 170 kg(size 22", 24")

Standard:



Flip-back armrest slant type



Adjustable seat height

Optional Accessories :



Height adjustable push handles



Fold down backrest

SIZE											(±10mm) (kg)
						std.	opt.				
J	605	325	895	410	460/485/510	220	250-320	835	1075	400-430	13.3
F	630	325	895	410	460/485/510	220	250-320	835	1075	400-430	13.4
A	655	325	895	410	460/485/510	220	250-320	835	1075	400-460	13.5
N	680	325	895	410	460/485/510	220	250-320	835	1075	460-510	14.0
L	705	325	895	410	460/485/510	220	250-320	835	1075	460-510	14.1

Bariatric Wheelchair

Steel

K9 Recliner





- Detachable flip back movable armrest
- Detachable swing away elevating legrest
- Seat width: 16" / 18" / 20"
  - 8" x 1 1/4" PU front tire
  - 24" x 1 3/8" PU rear tire
- Seat width: 22" / 24"
  - 8" x 2" PU front tire
  - 24" x 1 3/8" PU rear tire
- Max. capacity: 16"~ 20" /140 kg, 22"~24"/190 kg

SIZE											(±10mm) (kg)
J	400	600	345	1300	450	510	220	880	1220	400	23.4
A	460	660	345	1300	450	510	220	880	1220	400	24.4
L	510	710	345	1300	450	510	220	880	1220	400	25.3
H	560	780	345	1300	450	510	220	930	1270	460	27.8
M	610	830	345	1300	450	510	220	930	1270	460	28.2


Lightweight Nimble
Foldable backrest

Transport Wheelchair

Aluminum

L1-612



Lightweight Nimble

- Fold down backrest
- Stow up footrest
- Dual function hand brake
- Fixed PU armrest
- 6" x 1 1/4" solid front tire
- 12" x 38 mm PU rear tire
- Max. capacity:140 kg

Optional accessory: Carry bag





Foldable for storage



Footrest stowed inwards



Locking hand brakes for safety



Rear wheel brake

(±10mm)

SIZE													
													(kg)
J	400	550	300	910	400	490	220	750	1010	420	720	420	10.0
F	430	580	300	910	400	490	220	750	1010	420	720	420	10.5
A	460	610	300	910	400	490	220	750	1010	420	720	420	10.8

Pediatric Wheelchair

Aluminum




GROWIN

Folding pediatric wheelchair

an exquisite companion on
the way to grow-up

Seat width adjustable
12"-13"-14"-15"



Pediatric Wheelchair

Aluminum



Specifications:

- Center of gravity adjustable
- Seat depth adjustable
- Foldable & height adjustable ergonomic push handles
- Detachable, height adjustable armrest
- Detachable swing away footrest
- 6" x 1 1/4" front PU tire
- 22" x 1 3/8" rear PU tire w/QR axle, aluminum handrim
- Max. capacity : 75 kg



Height adjustable push handles



Center of gravity adjustable



Foldable push handles with ergonomic design



Adjustable velcro straps



Detachable & height adjustable armrest

Seat width adjustable	12", 13", 14", 15"
Seat height adjustable	420 mm, 440 mm, 460 mm
Seat depth adjustable	360 mm, 385 mm, 410 mm
Center of gravity adjustable	70 mm
Push handle height adjustable	120 mm in 6 sections
Seat front to footplate distance adjustable	290 mm ~ 410 mm (120 mm in 8 sections)
Rear wheel camber optional	0° , 3°


Reclining Wheelchair



Steel

K9 Recliner





- Detachable flip back movable armrest
- Detachable swing away elevating legrest
- Seat width: 16" / 18" / 20"
  - 8" x 1 1/4" PU front tire
  - 24" x 1 3/8" PU rear tire
- Seat width: 22" / 24"
  - 8" x 2" PU front tire
  - 24" x 1 3/8" PU rear tire
- Max. capacity: 16"~ 20" /140 kg, 22"~24"/190 kg

SIZE											(±10mm) (kg)
J	400	600	345	1300	450	510	220	880	1220	400	23.4
A	460	660	345	1300	450	510	220	880	1220	400	24.4
L	510	710	345	1300	450	510	220	880	1220	400	25.3
H	560	780	345	1300	450	510	220	930	1270	460	27.8
M	610	830	345	1300	450	510	220	930	1270	460	28.2



- Seat tilt angle adjustment: 95°~140°
- Back recline angle adjustment: 95°~130°



Tilt-in-space Reclining Folding Wheelchair

Aluminum

L7





- Seat tilt angle adjustment: 95°~140°
- Back recline angle adjustment: 95°~130°
- Headrest height adjustable
- Air mesh upholstery
- Armrest flip back & height adjustable

- Detachable swing away footrest
- 8" x 1 1/4" PU front tire
- 16" x 1 3/8" PU rear tire
- Max. capacity: 140 kg



Easily tilt and recline



Foldable

Optional Accessories :



Side support



22" or 24" rear wheel



Flip & height adjustable armrest



Headrest angle & height adjustable, memorable foam



Pommel



Elevating legrest

SIZE										(±10mm) (kg) w/o riggings
J	400	660	420	1010	460-560	450-475-500	195-255	1055-1080-1105	400-425-450	18.1
A	460	710	420	1010	460-560	450-475-500	195-255	1055-1080-1105	400-425-450	18.9
L	510	760	420	1010	460-560	450-475-500	195-255	1055-1080-1105	400-425-450	19.4


Shower / Commode Wheelchair



Shower/ Commode

Aluminum

Two-in-one, self-propel & transport

SL-155





Optional
5"castor w/brake

- Rust proof materials available
- PU seat rest w/front opening
- Flip back armrest
- Detachable swing away footrest
- 6" PU front tire
- Rear 6" PU castors only, hand brakes (type 606)
- Rear 6" PU castors + 24" x 1 3/8" wheels w/QR axles, double brakes (type 60624)
- Available seat width: 18", 20"
- DIY packing, freight saving
- Max capacity: 140 kg



Transport (606)



Self-propel (60624)

SIZE										(±10mm) (kg)
A	460	555	855	380	500	220	730	990	430	15.2
L	510	610	855	380	500	220	730	990	430	15.8

SIZE										(±10mm) (kg)
A	460	655	870	380	500	220	810	1070	430	19.0
L	510	715	870	380	500	220	810	1070	430	19.6


COMFORT

Shower/ Commode

Aluminum

Tilt-in-space

WHALE LY-158-A





- Flip-back armrest
- Detachable swing away footrest
- PU seat & back
- Front castor 5" PU tire w/brake
- Rear wheel 5" PU tire w/brake
- Tilting angle -3°~40°
- Max. capacity 160 kg
- Gas strut: 550N

SIZE												(±10mm)
470	780	1275-1535	350-580	770-915	510-610	195-275	805	1005	430	435-525	(kg)	23.6



The product information is based on the specifications available at the time of publication, and is subject to change without prior notice.


Colors



LSB
Gloss black



EB
Matte black



DSI
T-Dark blue



SW
White



FS
Silver



CRS
T-Silver



SSG
Silver gray



CR
Cleret red



DSB
T-Sky blue



DSP
T-Pink



DSG
T-Green



RHB
Deep blue

COMFORT®

Life is just beginning.

CERTIFICATION

The product information is subject to update without prior notice.

COMFORT ORTHOPEDIC CO., LTD. No. 120, Niouchoupu, Nan Shiang Tsuen, Shoei Shang Shiang, Chia-Yi, Taiwan, R.O.C. 608008
https://www.comfort-mobility.com/ TEL : 886-5-2892093 FAX : 886-5-2890070 Email : info@comfort.com.tw